

# 代幾 I 計算演習 (2005/07/07)

サラスの展開 (Text の p.27) を利用して以下の行列式を求めなさい。

問 1.

$$\begin{vmatrix} 3 & 3 & 1 \\ 0 & -4 & 0 \\ 1 & -2 & -4 \end{vmatrix}$$

問 2.

$$\begin{vmatrix} 0 & 4 & 0 \\ 2 & 4 & -2 \\ -5 & -3 & 5 \end{vmatrix}$$

問 3.

$$\begin{vmatrix} -1 & -5 & -2 \\ 0 & -2 & -1 \\ 0 & 5 & -1 \end{vmatrix}$$

問 4.

$$\begin{vmatrix} -2 & 5 & -5 \\ -2 & 2 & 3 \\ 5 & -4 & 3 \end{vmatrix}$$

問 5.

$$\begin{vmatrix} -3 & 0 & -5 \\ -2 & 4 & 2 \\ 1 & 0 & 0 \end{vmatrix}$$

問 6.

$$\begin{vmatrix} 4 & 1 & 2 \\ 1 & 3 & 2 \\ 3 & -5 & 4 \end{vmatrix}$$

問 7.

$$\begin{vmatrix} -4 & 0 & 1 \\ -1 & 1 & 0 \\ -1 & 5 & 5 \end{vmatrix}$$

問 8.

$$\begin{vmatrix} -5 & 2 & 4 \\ 3 & 4 & -3 \\ 3 & 5 & -5 \end{vmatrix}$$

問 9.

$$\begin{vmatrix} -2 & 0 & 0 \\ 3 & -4 & 4 \\ -2 & 0 & 0 \end{vmatrix}$$

問 10.

$$\begin{vmatrix} 3 & -3 & 0 \\ 1 & -3 & 4 \\ 5 & -1 & -1 \end{vmatrix}$$

問 11.

$$\begin{vmatrix} -3 & 3 & -4 \\ -4 & 1 & 3 \\ 4 & -4 & -1 \end{vmatrix}$$

問 12.

$$\begin{vmatrix} -5 & 3 & -2 \\ -5 & -5 & 1 \\ -2 & 3 & 2 \end{vmatrix}$$

解答

答 1.

$$\begin{vmatrix} 3 & 3 & 1 \\ 0 & -4 & 0 \\ 1 & -2 & -4 \end{vmatrix} = 3 \times (-4) \times (-4) + 3 \times 0 \times 1 + 1 \times 0 \times (-2) \\ - 3 \times 0 \times (-2) - 3 \times 0 \times (-4) - 1 \times (-4) \times 1 \\ = 52$$

答 2.

$$\begin{vmatrix} 0 & 4 & 0 \\ 2 & 4 & -2 \\ -5 & -3 & 5 \end{vmatrix} = 0 \times 4 \times 5 + 4 \times (-2) \times (-5) + 0 \times 2 \times (-3) \\ - 0 \times (-2) \times (-3) - 4 \times 2 \times 5 - 0 \times 4 \times (-5) \\ = 0$$

答 3.

$$\begin{vmatrix} -1 & -5 & -2 \\ 0 & -2 & -1 \\ 0 & 5 & -1 \end{vmatrix} = (-1) \times (-2) \times (-1) + (-5) \times (-1) \times 0 + (-2) \times 0 \times 5 \\ - (-1) \times (-1) \times 5 - (-5) \times 0 \times (-1) - (-2) \times (-2) \times 0 \\ = -7$$

答 4.

$$\begin{vmatrix} -2 & 5 & -5 \\ -2 & 2 & 3 \\ 5 & -4 & 3 \end{vmatrix} = (-2) \times 2 \times 3 + 5 \times 3 \times 5 + (-5) \times (-2) \times (-4) \\ - (-2) \times 3 \times (-4) - 5 \times (-2) \times 3 - (-5) \times 2 \times 5 \\ = 79$$

答 5.

$$\begin{vmatrix} -3 & 0 & -5 \\ -2 & 4 & 2 \\ 1 & 0 & 0 \end{vmatrix} = (-3) \times 4 \times 0 + 0 \times 2 \times 1 + (-5) \times (-2) \times 0 \\ - (-3) \times 2 \times 0 - 0 \times (-2) \times 0 - (-5) \times 4 \times 1 \\ = 20$$

答 6.

$$\begin{vmatrix} 4 & 1 & 2 \\ 1 & 3 & 2 \\ 3 & -5 & 4 \end{vmatrix} = 4 \times 3 \times 4 + 1 \times 2 \times 3 + 2 \times 1 \times (-5) \\ - 4 \times 2 \times (-5) - 1 \times 1 \times 4 - 2 \times 3 \times 3 \\ = 62$$

答 7.

$$\begin{vmatrix} -4 & 0 & 1 \\ -1 & 1 & 0 \\ -1 & 5 & 5 \end{vmatrix} = (-4) \times 1 \times 5 + 0 \times 0 \times (-1) + 1 \times (-1) \times 5 - (-4) \times 0 \times 5 - 0 \times (-1) \times 5 - 1 \times 1 \times (-1) = -24$$

答 8.

$$\begin{vmatrix} -5 & 2 & 4 \\ 3 & 4 & -3 \\ 3 & 5 & -5 \end{vmatrix} = (-5) \times 4 \times (-5) + 2 \times (-3) \times 3 + 4 \times 3 \times 5 - (-5) \times (-3) \times 5 - 2 \times 3 \times (-5) - 4 \times 4 \times 3 = 49$$

答 9.

$$\begin{vmatrix} -2 & 0 & 0 \\ 3 & -4 & 4 \\ -2 & 0 & 0 \end{vmatrix} = (-2) \times (-4) \times 0 + 0 \times 4 \times (-2) + 0 \times 3 \times 0 - (-2) \times 4 \times 0 - 0 \times 3 \times 0 - 0 \times (-4) \times (-2) = 0$$

答 10.

$$\begin{vmatrix} 3 & -3 & 0 \\ 1 & -3 & 4 \\ 5 & -1 & -1 \end{vmatrix} = 3 \times (-3) \times (-1) + (-3) \times 4 \times 5 + 0 \times 1 \times (-1) - 3 \times 4 \times (-1) - (-3) \times 1 \times (-1) - 0 \times (-3) \times 5 = -42$$

答 11.

$$\begin{vmatrix} -3 & 3 & -4 \\ -4 & 1 & 3 \\ 4 & -4 & -1 \end{vmatrix} = (-3) \times 1 \times (-1) + 3 \times 3 \times 4 + (-4) \times (-4) \times (-4) - (-3) \times 3 \times (-4) - 3 \times (-4) \times (-1) - (-4) \times 1 \times 4 = -57$$

答 12.

$$\begin{vmatrix} -5 & 3 & -2 \\ -5 & -5 & 1 \\ -2 & 3 & 2 \end{vmatrix} = (-5) \times (-5) \times 2 + 3 \times 1 \times (-2) + (-2) \times (-5) \times 3 - (-5) \times 1 \times 3 - 3 \times (-5) \times 2 - (-2) \times (-5) \times (-2) = 139$$